

April 10, 2020

**BY EMAIL AND MAIL**

Commissioner Tyrone Oliver  
Georgia Department of Juvenile Justice  
3408 Covington Highway  
Decatur, GA 30032  
Tyrone.Oliver@djj.state.ga.us

Dear Commissioner Oliver:

We write to share our concerns about the impact of Coronavirus Disease 2019 (COVID-19) on Georgia's detained youth. As Georgia takes steps to stop the spread of COVID-19—closing schools, canceling events, sheltering in place, and shifting to support children in their homes and communities—one group is at risk of being left behind: the more than 1,000 young people in the custody of the Georgia Department of Juvenile Justice (DJJ).<sup>1</sup> **We urge DJJ to adopt a plan for protecting young people in its custody from COVID-19 that includes reducing the number of youth in restrictive custody and mitigating harm for those who cannot be released during this rapidly escalating crisis.**

**A. COVID-19 is Moving Through Georgia's Correctional Facilities.**

As of today, there are 11,483 confirmed cases of COVID-19 in 155—over 97 percent—of Georgia's 159 counties. There have been 416 reported deaths.<sup>2</sup> In the past week, the number of confirmed cases in Georgia has doubled and experts predict that the infection rate will continue to rise.<sup>3</sup> COVID-19 has already reached our prisons, jails, and juvenile facilities. State officials have thus far confirmed 82 COVID-19 cases in 21 state prisons, affecting both incarcerated people and prison staff.<sup>4</sup> Additionally, local officials have confirmed cases in a number of jails, including the Cobb County Detention Center,<sup>5</sup> Chatham County Jail,<sup>6</sup> DeKalb

---

<sup>1</sup> Ga. Dep't of Juvenile Justice, *2019 DJJ Quick Fact Sheets*, <https://djj.georgia.gov/blog-post/2018-03-06/2019-djj-quick-fact-sheets>.

<sup>2</sup> *Coronavirus in Georgia: COVID-19 Dashboard*, Atlanta Journal-Constitution, <https://www.ajc.com/news/coronavirus-georgia-covid-dashboard/IjORDGLckdP3R19hJU5CWO/> (last visited Apr. 10, 2020).

<sup>3</sup> Chas Danner, *CDC's Worst-Case Coronavirus Model: 214 Million Infected, 1.7 Million Dead*, N.Y. Mag., Mar. 13, 2020, <https://nymag.com/intelligencer/2020/03/cdcs-worst-case-coronavirus-model-210m-infected-1-7mdead.html> (estimating that over 200 million people in the United States could be infected with COVID-19 without effective public health intervention, with as many as 1.5 million deaths in the most severe projections).

<sup>4</sup> Ga. Dep't of Corr., *Confirmed COVID-19 Cases*, <http://www.gdc.ga.gov/content/cases> (last visited Apr. 10, 2020).

<sup>5</sup> Christian Boone, *Deputy at Cobb Detention Center Contracts COVID-19*, Atlanta Journal-Constitution (Mar. 27, 2020), <https://www.ajc.com/news/crime--law/deputy-cobb-detention-center-contracts-covid/zTCGPK5iYxpPPF3zJYue2O/>.

<sup>6</sup> Savannah Morning News, *Chatham County Sheriff's Office Employee Tests Positive for COVID-19* (Apr. 1, 2020), <https://www.savannahnow.com/news/20200401/chatham-county-sheriffsquos-office-employee-testspositive-for-covid-19>.

County Jail,<sup>7</sup> and Fulton County Jail.<sup>8</sup> Within DJJ facilities, at least three employees have tested positive, all in different locations.<sup>9</sup> Seventy-nine DJJ employees are in quarantine. There is, however, still time for DJJ to act to lower the risk of widespread infection, illness, and death for young people, facility staff, and the broader public.

## **B. Incarcerated Youth Are Uniquely Vulnerable.**

While older individuals face greater chances of serious illness or death from COVID-19, younger people can contract the virus; some may fall ill or even die.<sup>10</sup> Underlying medical conditions add to a person's vulnerability to COVID-19, and studies suggest juvenile correctional facilities are home to some of the most medically vulnerable youth in the country.<sup>11</sup> But the absence of health problems does not mean the absence of risk. For instance, one 12-year-old in Atlanta with COVID-19 had no prior health conditions but has nevertheless been placed on a ventilator.<sup>12</sup> Finally, even when asymptomatic or suffering milder symptoms, young people pose a serious risk of transmission to those with whom they come into contact, including vulnerable people such as those with asthma, and older adults.<sup>13</sup>

Correctional facilities must confront unique challenges to protect people in their custody and facility staff during the COVID-19 pandemic. The Centers for Disease Control and Prevention (CDC), along with Dr. Craig Haney, the nation's leading expert on the psychological effects of juvenile and adult confinement, have observed that, in congregate environments like DJJ's facilities—where young people eat, sleep, and shower together—young people have limited opportunities to practice social distancing to mitigate the risk of COVID-19 transmission.<sup>14</sup>

---

<sup>7</sup> J.D. Capelouto, *Another DeKalb Jail Inmate Tests Positive for Coronavirus*, Atlanta Journal-Constitution (Mar. 28, 2020), <https://www.ajc.com/news/local/another-dekalb-jail-inmate-tests-positive-for-coronavirus/Tld9EeIVcBbiM0BWGQ8JjP/>.

<sup>8</sup> Christian Boone, *Sheriff: 14 Fulton Jail Inmates Have Contracted COVID-19*, Atlanta Journal-Constitution (Mar. 30, 2020), <https://www.ajc.com/news/crime--law/three-more-fulton-jail-inmates-contract-covid/PFYKk3sFCuQjWwrtx13fDJ/>.

<sup>9</sup> Maya Prabhu, *Two More Georgia Juvenile Justice Employees Test Positive for COVID-19*, Atlanta Journal-Constitution (Apr. 6, 2020), <https://www.ajc.com/news/state--regional-govt--politics/two-more-georgia-juvenile-justice-employees-test-positive-for-covid/PumiryHch4H1d9Yohvwa9I/>.

<sup>10</sup> See Scripps National, *Teen Dies of COVID-19 in California, Becoming 1st Known Minor to Die from Virus in US* (Mar. 24, 2020), <https://www.wtxl.com/news/national/coronavirus/youth-dies-of-covid-19-in-california-believed-to-be-first-juvenile-death-in-us>.

<sup>11</sup> See, e.g., Mana Golzari, et al., *The Health Status of Youth in Juvenile Detention Facilities*, 38 J. Adolescent Health 776 (2006); Christopher B. Forrest, et al., *The Health Profile of Incarcerated Male Youths*, 105 Pediatrics 286 (2000); Matthew Aalsma, et al., *Preventive Care Use Among Justice-Involved and Non-Justice-Involved Youth*, 140 Pediatrics (2017).

<sup>12</sup> Amara Walker, Alta Spells, & Melissa Alonso, *12-Year-Old Girl with Coronavirus is on a Ventilator and Fighting for Her Life*, CNN (Mar. 22, 2020), <https://www.cnn.com/2020/03/22/us/georgia-coronavirus-girl-hospitalized/index.html>.

<sup>13</sup> See Jillian Mock, *Asymptomatic Carriers Are Fueling the COVID-19 Pandemic. Here's Why You Don't Have to Feel Sick to Spread the Disease*, Discover (Mar. 26, 2020), <https://www.discovermagazine.com/health/asymptomatic-carriers-are-fueling-the-covid-19-pandemic-heres-why-you-dont> (summarizing studies); Josephine Moulds, *People with Mild or No Symptoms Could be Spreading COVID-19*, World Economic Forum (Mar. 23, 2020), <https://www.weforum.org/agenda/2020/03/people-with-mild-or-no-symptoms-could-be-spreading-covid-19/> (same).

<sup>14</sup> See Centers for Disease Control and Prevention, *Interim Guidance on Management of Coronavirus Disease 2019 (COVID-19) in Correctional and Detention Facilities*, <https://www.cdc.gov/coronavirus/2019-ncov/community/correction-detention/guidance-correctional-detention.html> (acknowledging that social distancing, the “cornerstone of reducing transmission of respiratory diseases such as COVID-19,” is “challenging to practice in correctional and detention

This problem is exacerbated by operational challenges such as shared ventilation systems and the necessary daily movement of facility staff, counselors, and healthcare providers.<sup>15</sup> Although DJJ should redouble efforts to maintain proper distancing and preventive hygiene in all restrictive facilities, the inherent features of DJJ facilities and the asymptomatic spread of COVID-19 mean that dramatically reducing the population of incarcerated children is the only sure method to protect youth in custody.<sup>16</sup>

### **C. Due to the Pandemic, Incarcerated Youth Are Not Getting the Services and Support That They Need.**

As COVID-19 enters juvenile facilities, reports of disruptions to essential youth services like education and visitation raise serious concerns. While DJJ's recent decision to suspend in-person educational instruction is reasonable, class time should be replaced by more than a "weekly lesson packet" for incarcerated youth to learn on their own.<sup>17</sup> DJJ is Georgia's 181st school district. As with other schools across the state, arrangements should be made to provide interactive teacher-led learning within DJJ facilities.

DJJ has also suspended family visits to secure facilities,<sup>18</sup> but further isolating youth from their families and support networks during this stressful period places children at risk of serious harm.<sup>19</sup> Young people with mental health conditions are susceptible to increased distress related to the health crisis,<sup>20</sup> and research demonstrates that mental health disorders are at least twice as prevalent among detained youth as among the general adolescent population.<sup>21</sup> DJJ

---

environments") (last visited Apr. 10, 2020); Attachment 1, *Declaration of Dr. Craig W. Haney, Ph.D.*, ¶ 6 (March 21, 2020) ("Social distancing presents serious challenges for everyone in every part of our society, but nowhere more than in penal institutions.").

<sup>15</sup> Attachment 1, *Haney Decl.* at ¶ 8. (noting that "juvenile facilities cannot readily protect youth from contact with staff who regularly enter facilities after having been in the outside world").

<sup>16</sup> Tyler Kingkade, *Coronavirus in Juvenile Detention is a "Nightmare Scenario," Doctors and Advocates Say*, NBC News (March 27, 2020), <https://www.nbcnews.com/news/us-news/coronavirus-juvenile-detention-nightmare-scenario-doctors-advocates-say-n1170256>; Leila Miller, *Youths in Detention Should be Released to Reduce Coronavirus Risk, Advocates Say*, L.A. Times (Mar. 17, 2020), <https://www.latimes.com/california/story/2020-03-17/fearing-harmful-effects-of-virus-juvenile-justice-attorneys-push-for-clients-release> (quoting Dr. Anne Spaulding, Professor of Epidemiology and Medicine at Emory University, as saying, "There's nothing to make us think that a COVID-19 cannot spread through a crowded juvenile facility as quickly as it could spread through a cruise ship.").

<sup>17</sup> Maya Prabhu, *Georgia's Youth Detention Staff Continue Work in Face of Virus Concerns*, Atlanta Journal-Constitution (Mar. 23, 2020), <https://www.ajc.com/news/state--regional-govt--politics/georgia-youth-detention-staff-continue-work-face-virus-concerns/mjqGJueI6yuQjXSIX0JjcN/>.

<sup>18</sup> Ga. Dep't of Juvenile Justice, *Visitation, Telephone Calls & Correspondence*, <https://djj.georgia.gov/parents-and-guardians/visitation-telephone-calls-correspondence> (last visited Apr. 10, 2020).

<sup>19</sup> Attachment 1, *Haney Decl.* at ¶¶ 16-17.

<sup>20</sup> The CDC and WHO have each acknowledged that COVID-19 poses a significant threat to the mental health of the nation, especially to its children and teens. Both organizations recommend expansive forms of family support, caring, and coping to ameliorate the pandemic's traumatic effects on young people. See Centers for Disease Control and Prevention, *Manage Anxiety & Stress*, <https://www.cdc.gov/coronavirus/2019-ncov/prepare/managing-stress-anxiety.html>; World Health Organization, *Helping Children Cope with Stress During the 2019-nCoV Outbreak*, [https://www.who.int/docs/default-source/coronaviruse/helping-children-cope-with-stress-print.pdf?sfvrsn=f3a063ff\\_2](https://www.who.int/docs/default-source/coronaviruse/helping-children-cope-with-stress-print.pdf?sfvrsn=f3a063ff_2).

<sup>21</sup> Physicians for Criminal Justice Reform, *COVID-19 Risks for Detained and Incarcerated Youth* (Mar. 22, 2020), <https://njdc.info/wp-content/uploads/PFCJR-Statement.pdf>; see also David Gottesman & Susan Wile Schwarz, *Juvenile*

should reduce the impact of this crisis on youth in custody by releasing as many as possible to their families or caretakers; it should also prevent disruptions in services and social support for those who cannot be immediately released.

#### **D. There Are Ways to Mitigate the Risk of Harm to Children in DJJ's Custody.**

Across Georgia, government officials are mitigating the risk of an outbreak of COVID-19 in detention facilities by releasing hundreds of detainees and sharply reducing admissions.<sup>22</sup> **We ask you to join them by enacting an emergency plan for addressing COVID-19 in the juvenile delinquency system and making it public.** We recommend that your plan include the following measures:

##### **1. Reduce Population in Juvenile Facilities.**

- a. Halt new admissions to juvenile facilities.** To the extent that intake is conducted by DJJ officers, DJJ should recommend processing as many cases as possible through an informal adjustment (O.C.G.A. §§ 15-11-510 & 15-11-515), using court as a last resort. All pre- and post-adjudication release processes and mechanisms should be examined and employed as quickly as possible. Wherever possible, young people should be released with conditions or diverted to an alternative to detention.
- b. Release as many young people from juvenile facilities as possible.** Children who are in DJJ facilities pursuant to a non-designated felony commitment who have COVID-19 symptoms; suffer from chronic illnesses, such as asthma or diabetes; or are in any other way at medical risk to COVID-19, should be immediately released. DJJ should consider releasing other youth unless a determination is made that an individual is a substantial safety risk to others. Youth with scheduled release dates within 90 days should be released immediately, unless adjudicated delinquent on a designated felony (DF). All youth placed pursuant to a DF order should be screened for a motion or recommendation for early release.
- c. Bolster transitional support for young people.** DJJ should enhance existing reentry support, partnering with social services organizations in

---

*Justice in the U.S.: Facts for Policymakers*, Nat'l Ctr. for Children in Poverty (2011), [http://www.nccp.org/publications/pub\\_1038.html](http://www.nccp.org/publications/pub_1038.html); Linda A. Teplin, et al., *Psychiatric Disorders in Youth in Juvenile Detention*, 59 Arch. Gen. Psych. 1133 (2002).

<sup>22</sup> See Joshua Sharpe, *Georgia to Release Some Inmates Due to COVID-19 Fears*, Atlanta Journal-Constitution (Mar. 31, 2020), <https://www.ajc.com/news/local/breaking-georgia-release-some-inmates-due-covid-fears/np6zhBrlP1oe2jOkUmWVoL/>; Christian Boone, *Hall, Fulton Counties Releasing Nonviolent Offenders Early as Virus Looms*, Atlanta Journal-Constitution (Mar. 23, 2020), <https://www.ajc.com/news/crime--law/hall-fulton-counties-releasing-nonviolent-offenders-early-virus-looms/IOZTaZ9IVSwoy38Cp6XJIP/>; Ariel Mallory, *Jails Releasing Inmates Early to Help Cut Down on Spread of COVID-19 Virus*, WFXL (Apr. 2, 2020), <https://wfxl.com/news/local/jails-releasing-inmates-early-to-help-cut-down-on-spread-of-covid-19-virus/>; State Court of DeKalb County, *Standing Order Governing Bail During Judicial Emergency* (Mar. 18, 2020), <https://www.dekalbsheriff.org/wp-content/uploads/2020/03/Standing-Order-Governing-Bail-During-Judicial-Emergency.pdf> (ordering that all misdemeanor defendants be granted signature bonds except in cases of stalking, offenses involving family violence, and certain recidivist traffic offenses).

young people's communities to ensure that, upon return to their community, young people have a place to live, can meet their basic needs, will receive immediate and adequate medical care, and can have immediate access to Medicaid, all to reduce their susceptibility to the virus.

## 2. Mitigate Harm While Youth Await Release.

- a. **Ensure transparency in communications.** Policies adopted in response to COVID-19 should be transparent and clearly communicated to the public and to incarcerated youth. For example, the Georgia Department of Corrections provides regular online updates about confirmed cases in its facilities.<sup>23</sup> A similar approach by DJJ would promote transparency and likely reduce the volume of information requests from members of the public. Written and verbal communications should be distributed to youth regarding COVID-19, access to medical care, and community-based supports.
- b. **Provide adequate cleaning supplies.** Per CDC guidelines, incarcerated youth should be given increased supplies of soap, toilet paper, and cleaning/sanitizing products to maintain adequate preventive hygiene, at no cost to them or their families.
- c. **Maintain social connections.** Juvenile detention inflicts trauma on an already traumatized population of children, and the lack of any familial contact exacerbates this trauma at a moment of heightened stress.<sup>24</sup> All fees should be waived for calls and video visitation, and young people should be guaranteed access to communication with their friends and family. Video visitation should be made available to the same extent that in-person visitation was available prior to the public health crisis.
- d. **Provide access to education and other programming.** While in-person teaching is suspended, DJJ should provide youth with interactive, teacher-led distance learning. Other suspended programming should be replaced by loosening restrictions on books and other materials to promote positivity and engagement for youth.
- e. **Continue access to legal counsel.** DJJ should ensure that protective measures do not compromise the timeliness or confidentiality of communication between incarcerated youth and their legal counsel.
- f. **Implement an emergency staffing plan.** DJJ should develop a plan to reinforce staffing and provide for effective care in the event of a mass outbreak at any of its restrictive facilities. If not already in place, DJJ should implement paid sick leave to encourage staff members not to come to work if they are ill.

---

<sup>23</sup> The Georgia Department of Corrections (GDC) has created a webpage, updated daily, which tracks confirmed cases of COVID-19 in GDC facilities. See Ga. Dep't of Corr., *Confirmed COVID-19 Cases*, <http://www.gdc.ga.gov/content/cases> (last visited Apr. 10, 2020).

<sup>24</sup> Attach. 1, *Haney Decl.* at ¶¶ 12-13, 15-16.

### 3. Make Further Adjustments for Youth on Probation.

- a. **Reduce probation consequences.** To the extent of its authority, DJJ should instruct intake officers to detain juveniles only under a limited, written set of extreme circumstances, and to eliminate incarceration as a sanction for technical violations of probation or commitment orders. Probation violations or sanctions should also not be issued based on school attendance or success.
- b. **Reduce conditions of probation that can increase social contact.** DJJ should eliminate requirements for in-person meetings with probation officers and not enforce probation activities that would require a young person to use public transportation, congregate with others, or leave home unnecessarily.
- c. **Allow flexibility for youth on probation.** DJJ should allow youth to travel and access medical care, stay isolated when necessary, and take care of themselves and their loved ones.
- d. **Suspend enforcement of financial and service obligations.** DJJ should place a moratorium on all requirements to attend and pay for court and probation-ordered programs, community service and labor.

Across Georgia, extraordinary and unprecedented measures affecting every aspect of life are being taken in the name of protecting people from this pandemic. We urge you to consider and adopt the measures listed in this letter for the protection of vulnerable youth in custody, facility staff, and the public at large.

Thank you for your consideration. Best wishes to you and your staff as you navigate this challenging time.

Sincerely,



Sara Totonchi  
Executive Director



Atteeyah Hollie  
Senior Staff Attorney

cc: Governor Brian Kemp  
Department of Public Health Commissioner Kathleen Toomey

# **Attachment 1**

## DECLARATION OF DR. CRAIG W. HANEY, PHD

### I, Craig W. Haney, declare as follows:

1. I am a Distinguished Professor of Psychology and UC Presidential Chair at the University of California Santa Cruz in Santa Cruz, California, where I engage in research applying social psychological principles to legal settings, including the assessment of the psychological effects of living and working in institutional environments, especially the psychological effects of incarceration. I was a co-founder and co-director of the UC Criminal Justice & Health Consortium – a collaborative effort of researchers, experts and advocates from across the University of California system working to bring evidence-based health and healthcare solutions to criminal justice reform in California and nationwide.
2. I also have served as a consultant to numerous governmental, law enforcement, and legal agencies and organizations on jail- and prison-related issues. Those agencies and organizations include the Palo Alto Police Department, various California Legislative Select Committees, the National Science Foundation, the American Association for the Advancement of Science, the United States Department of Justice, the Department of Health and Human Services (HHS), the Department of Homeland Security, and the White House (under both the Clinton and Obama Administrations). In 2012, I testified as an expert witness before the Judiciary Committee of the United States Senate in a hearing that focused on the use and effects of solitary confinement and was appointed as a member of a National Academy of Sciences committee analyzing the causes and consequences of high rates of incarceration in the United States. My research, writing, and testimony have been cited by state courts, including the California Supreme Court, and by Federal District Courts, Circuit Courts of Appeal, and the United States Supreme Court.<sup>1</sup>
3. COVID-19 is a serious, highly contagious disease and has reached pandemic status. At least 234,073 people around the world have

---

<sup>1</sup> For example, see *Brown v. Plata*, 563 U.S. 493 (2011).

received confirmed diagnoses of COVID-19 as of March 20, 2020,<sup>2</sup> including 15,219 people in the United States.<sup>3</sup> At least 9,840 people have died globally as a result of COVID-19 as of March 20, 2020,<sup>4</sup> including 201 in the United States.<sup>5</sup> These numbers are predicted by health officials to increase, perhaps exponentially. For example, the CDC has estimated that as many as 214 million people may eventually be infected in the United States, and that as many as 21 million could require hospitalization.<sup>6</sup>

4. The COVID-19 Pandemic poses such a threat to the public health and safety in the State of California that, on March 4, 2020, Governor Gavin Newsom declared a statewide State of Emergency/ On March 19, 2020, he ordered all California residents to stay home or at their place of residence except to facilitate certain authorized necessary activities.<sup>7</sup> His office has estimated that, in the absence of taking appropriate steps to mitigate the spread of the virus, as many as 56% of all Californians will contract it.<sup>8</sup>
5. COVID-19 is a novel virus. At present there is no vaccine and no cure for COVID-19. No one has immunity. Currently, the most effective way to control the virus is to use preventive strategies,

---

<sup>2</sup> World Health Organization, *Coronavirus disease (COVID-19) Outbreak*, <https://www.who.int/emergencies/diseases/novel-coronavirus-2019>

<sup>3</sup> Center for Disease Control and Prevention, *Coronavirus Disease 2019 (COVID-19): Cases in U.S.*, <https://www.cdc.gov/coronavirus/2019-ncov/cases-updates/cases-in-us.html>.

<sup>4</sup> *Supra*, fn. 2.

<sup>5</sup> *Supra*, fn. 3.

<sup>6</sup> Sheri Fink, *Worst-Case Estimates for U.S. Coronavirus Deaths*, N.Y. TIMES (Mar. 18, 2020), <https://www.nytimes.com/2020/03/13/us/coronavirus-deaths-estimate.html>.

<sup>7</sup> Executive Department, State of California, Executive Order N-33-20, <https://covid19.ca.gov/img/Executive-Order-N-33-20.pdf>

<sup>8</sup> Office of the Governor, "Letter to President Donald Trump" (March 18, 2020), <https://www.gov.ca.gov/wp-content/uploads/2020/03/3.18.20-Letter-USNS-Mercy-Hospital-Ship.pdf>.

including social distancing, in order to maximize our healthcare capacity to treat a manageable number of patients. Otherwise, healthcare resources will be overwhelmed and the Pandemic will certainly be exacerbated.

6. Social distancing presents serious challenges for everyone in every part of our society, but nowhere more than in penal institutions, where living conditions are unusually sparse, prisoners necessarily live in unescapably close quarters, and have unavoidable contact with one another. Juvenile institutions are no exception to this general institutional rule.
7. Moreover, jails and prisons are already extremely stressful environments for adult prisoners and for children who are confined in secure facilities.<sup>9</sup> Research has shown that these environments are psychologically and medically harmful in their own right, leaving formerly incarcerated persons with higher rates of certain kinds of psychiatric and medical problems.<sup>10</sup> In fact, incarceration

---

<sup>9</sup> Much of this evidence is summarized in several book-length treatments of the topic. For example, see: Haney, C., *Reforming Punishment: Psychological Limits to the Pains of Imprisonment*. Washington, DC: American Psychological Association (2006); Liebling, A., & Maruna, S. (Eds.), *The Effects of Imprisonment*. Cullompton, UK: Willan (2005); and National Research Council (2014). *The Growth of Incarceration in the United States: Exploring the Causes and Consequences*. Washington, DC: The National Academies Press. In addition, there are numerous empirical studies and published reviews of the available literature. For example, see: Haney, C., Prison effects in the age of mass incarceration. *Prison Journal*, 92, 1-24 (2012); Johns, D., Confronting the disabling effects of imprisonment: Toward prehabilitation. *Social Justice*, 45(1), 27-55.

<sup>10</sup> E.g., see: Schnittker, J. (2014). The psychological dimensions and the social consequences of incarceration. *Annals of the American Association of Political and Social Science*, 651, 122-138; Turney, K., Wildeman, C., & Schnittker, J., As fathers and felons: Explaining the effects of current and recent incarceration on major depression. *Journal of Health and Social Behaviour*, 53(4), 465-481 (2012). See, also: Listwan, S., Colvin, M., Hanley, D., & Flannery, D., Victimization, social support, and psychological well-being: A study of recently released prisoners. *Criminal Justice and Behavior*, 37(10), 1140-1159 (2010).

leads to higher rates of morbidity (illness rates) and mortality (i.e., it lowers the age at which people die).<sup>11</sup>

8. The COVID-19 Pandemic presents penal institutions with an enormous challenge that they are ill-equipped to handle. Juvenile facilities in particular lack the operational capacity to address the needs of youth in custody in a crisis of this magnitude. They do not have the resources needed to provide youth with ready access to cleaning and sanitation supplies, or to ensure that staff sanitize all potentially contaminated surfaces during the day. Most lack the capacity to provide more than minimal emergency mental health or medical care. Yet the demand for such services in this crisis will grow, stretching already scarce treatment resources even further. In addition, juvenile facilities typically provide children in custody with very limited access to telephonic or other forms of remote visiting. However, these ways of connecting to others will become critically important if contact visiting is limited or eliminated. Furthermore, juvenile facilities cannot readily protect youth from contact with staff who regularly enter facilities after having been in the outside world. Staff members are at risk of contracting COVID-19 and then transmitting it to both youth and other staff inside.
9. Penal settings have limited options to implement the social distancing that is now required in response to the COVID-19 Pandemic. It is very likely that many of them will resort to the use of solitary confinement. Indeed, I have seen precisely this form of social distancing utilized as a matter of course in numerous correctional institutions throughout the country, where medical quarantines are conducted in prison infirmaries or other housing units by effectively placing prisoners in solitary confinement.

---

<sup>11</sup> E.g., see: Binswanger, I., Stern, M., Deyo, R., et al., Release from prison: A high risk of death for former inmates. *New England Journal of Medicine*, 356, 157-165; Massoglia, M. Incarceration as Exposure: The Prison, Infectious Disease, and Other Stress-Related Illnesses. *Journal of Health and Social Behavior*, 49(1), 56-71; and Massoglia, M., & Remster, B., Linkages Between Incarceration and Health. *Public Health Reports*, 134(Supplement 1), 85-145 (2019); and Patterson, E. (2013). The dose-response of time served in prison on mortality: New York state, 1989-2003. *American Journal of Public Health*, 103(3), 523-528.

10. Yet the experience of solitary confinement inflicts an additional set of very serious harmful effects that significantly undermine mental and physical health. The scientific literature on the harmfulness of solitary confinement in jails and prisons is now widely accepted and the research findings are consistent and alarming.<sup>12</sup> This research has led a number of professional mental and physical health-related, legal, human rights, and even correctional organizations to call for severe limitations on the degree to which solitary confinement is employed—specifically by significantly limiting when, for how long, and on whom it can be imposed.<sup>13</sup>
11. Although there is some variation in the specific recommendations, virtually all of them call for the drastic reduction or outright elimination of the use of solitary confinement with juveniles.<sup>14</sup> That

---

<sup>12</sup> These many studies have been carefully reviewed in a number of publications. For example, see: K. Cloyes, D. Lovell, D. Allen & L. Rhodes, Assessment of psychosocial impairment in a supermaximum security unit sample. *Criminal Justice and Behavior*, 33, 760-781 (2006); S. Grassian, Psychiatric effects of solitary confinement. *Washington University Journal of Law & Policy*, 22, 325-383 (2006); C. Haney, Restricting the use of solitary confinement. *Annual Review of Criminology*, 1, 285-310 (2018); C. Haney & M. Lynch, Regulating prisons of the future: The psychological consequences of solitary and supermax confinement. *New York Review of Law & Social Change*, 23, 477-570 (1997); and P. Smith, The effects of solitary confinement on prison inmates: A brief history and review of the literature, in Michael Tonry (Ed.), *Crime and Justice* (pp. 441-528). Volume 34. Chicago: University of Chicago Press (2006).

<sup>13</sup> For a list of these organizations and their specific recommendations, see: Haney, C. (2018) Restricting the use of solitary confinement. *Annual Review of Criminology*, 1, 285-310; Haney, C., Ahalt, C., & Williams, B., et al. (2020). Consensus statement of the Santa Cruz summit on solitary confinement. *Northwestern Law Review*, in press.

<sup>14</sup> For example, in December 2015, the U.N. General Assembly adopted the United Nations Standard Minimum Rules for the Treatment of Prisoners (“The Nelson Mandela Rules”) that, among other things, prohibited the use of solitary confinement for juveniles. See: Commission on Crime Prevention and Criminal Justice. 2015. *United Nations standard minimum rules for the treatment of prisoners*. New York: UN Economic and Social Council.

is, because of the categorically greater vulnerability of children to harsh conditions of confinement and the potentially irreversible mental and physical harm that they are more likely to experience, solitary confinement should rarely if ever be imposed on them. In fact, current California law significantly limits the use of solitary or solitary-like confinement<sup>15</sup> for juveniles to durations of no longer than four hours. In rare instances when longer times are absolutely necessary, in response to emergency or exigent circumstances, they must be limited to the shortest amount of additional time possible and, even then, always under the care of a licensed physician.<sup>16</sup> These severe limitations on the use of solitary confinement with children are critically important to acknowledge and adhere to in the face of the COVID-19 Pandemic and in the context of the social distancing steps that juvenile institutions are likely to engage in.

12. The COVID-19 Pandemic will be a traumatic experience for many, especially for children. In the case of children housed in juvenile institutions, this trauma will affect an already highly traumatized population. In addition to the traumatic effects of incarceration itself for children,<sup>17</sup> and the added trauma produced by harsh conditions of juvenile confinement (such as solitary confinement), it is important to recognize that most incarcerated children have already experienced numerous childhood “risk factors” or “adverse childhood experiences.”<sup>18</sup> Thus, juvenile incarceration represents a form of “retraumatization” for many of them. And even this retraumatization can be made worse, for example by placement in

---

<sup>15</sup> Juvenile facilities often use different terms for solitary confinement, such as “segregation,” “isolation,” “seclusion,” and “room confinement.” My statements about solitary confinement apply to these terms as well. (E.g. see, Sue Burrell and Ji Seon Song, Ending “Solitary Confinement” of Youth in California. *Children's Legal Rights Journal*, 39, 42, 45 (2019).)

<sup>16</sup> Calif. Welf. & Inst. Code § 208.3.

<sup>17</sup> For example, see: Sue Burrell, Trauma and the Environment of Care in Juvenile Institutions, *National Child Traumatic Stress Network* (2013).

<sup>18</sup> For example, see: Carly Dierkhising, Susan Ko, Briana Woods-Jaeger, et al., Trauma Histories among Justice-Involved Youth: Findings from the National Child Traumatic Stress Network, *European Journal of Psychotraumatology*, 4, (2013)

solitary confinement. It is thus hard to imagine a more vulnerable population whose very significant needs should be treated with the utmost sensitivity in the face of this Pandemic.

13. Indeed, the United States Center for Disease Control and Prevention (CDC) has acknowledged that the COVID-19 Pandemic poses a threat the mental as well as physical health of the nation, especially to its children and teens.<sup>19</sup> In order to mitigate the stressors created by the COVID-19 Pandemic, the CDC has recommended that parents and other caregivers undertake the following practices to support their children:<sup>20</sup>
  - Take time to talk with your child or teen about the COVID-19 outbreak. Answer questions and share facts about COVID-19 in a way that your child or teen can understand.
  - Reassure your child or teen that they are safe. Let them know it is ok if they feel upset. Share with them how you deal with your own stress so that they can learn how to cope from you.
  - Limit your family's exposure to news coverage of the event, including social media. Children may misinterpret what they hear and can be frightened about something they do not understand.
  - Try to keep up with regular routines. If schools are closed, create a schedule for learning activities and relaxing or fun activities.
  - Be a role model. Take breaks, get plenty of sleep, exercise, and eat well. Connect with your friends and family members.
  
14. Similarly, the World Health Organization (WHO) also has recognized that the COVID-19 poses an existential threat to the

---

<sup>19</sup> Center for Disease Control and Prevention, *Manage Anxiety & Stress*, <https://www.cdc.gov/coronavirus/2019-ncov/prepare/managing-stress-anxiety.html>

<sup>20</sup> *Ibid.*

mental health of children.<sup>21</sup> The WHO recommended that care providers undertake the following practices to support the mental health of children in their care:<sup>22</sup>

- Help children find positive ways to express feelings such as fear and sadness. Every child has their own way to express emotions. Sometimes engaging in a creative activity, such as playing, and drawing can facilitate this process. Children feel relieved if they can express and communicate their feelings in a safe and supportive environment
- Keep children close to their parents and family, if considered safe for the child, and avoid separating children and their caregivers as much as possible. If a child needs to be separated from their primary caregiver, ensure that appropriate alternative care is provided and that a social worker, or equivalent, will regularly follow up on the child. Further, ensure that during periods of separation, regular contact with parents and caregivers is maintained, such as twice-daily scheduled phone or video calls or other age-appropriate communication (e.g., social media depending on the age of the child).
- Maintain familiar routines in daily life as much as possible, or create new routines, especially if children must stay at home. Provide engaging age appropriate activities for children, including activities for their learning. As much as possible, encourage children to

---

<sup>21</sup> World Health Organization, *Helping children cope with stress during the 2019-nCoV outbreak*, [https://www.who.int/docs/default-source/coronaviruse/helping-children-cope-with-stress-print.pdf?sfvrsn=f3a063ff\\_2](https://www.who.int/docs/default-source/coronaviruse/helping-children-cope-with-stress-print.pdf?sfvrsn=f3a063ff_2)

<sup>22</sup> World Health Organization, *Mental Health and Psychosocial Considerations During COVID-19 Outbreak*, <https://www.who.int/docs/default-source/coronaviruse/mental-health-considerations.pdf>

continue to play and socialize with others, even if only within the family when advised to restrict social contact.

- During times of stress and crisis, it is common for children to seek more attachment and be more demanding on parents. Discuss COVID-19 with your children using honest and age appropriate way. If your children have concerns, addressing those together may ease their anxiety. Children will observe adults' behaviors and emotions for cues on how to manage their own emotions during difficult times.


15. The COVID-19 Pandemic is a natural disaster that has already had a significant worldwide impact whose catastrophic effects are beginning to mount in the United States. The Pandemic has traumatic psychological as well as physical consequences. The consequences are especially severe for children who are not only experiencing the Pandemic but also trying to comprehend its magnitude and implications. They are seeking safety in an otherwise suddenly unsafe-feeling world. Not surprisingly, the CDC and WHO both recommend intense and expansive forms of family support, caring, and coping to ameliorate these traumatic effects. Yet this kind of familial support, caring, and coping is simply unavailable in (and in essence precluded by) juvenile institutions.
16. Thus, it should be obvious that few if any of the CDC or WHO recommendations for the appropriate way to address the needs of children in light of the present Pandemic can be effectively implemented in a secure juvenile facility. Of course, their recommendations for optimizing children's meaningful family contacts and ensuring that children are able to follow as normal a routine as possible should apply no less forcefully to children who have been placed in juvenile institutions. In fact, for the aforementioned reasons, in light of the likely past trauma they have suffered and the traumatic nature of their present circumstances, the recommendations apply with even more logic and force.
17. As I have noted, the continued detention/confinement of children during the COVID-19 Pandemic constitutes a grave threat to their physical and mental health. Young people confined to juvenile facilities are vulnerable emotionally; they are separated from their

families; they likely face unhealthy and unsanitary physical conditions in such institutions, which will exacerbate any existing medical conditions and heighten the risk of their contracting and transmitting coronavirus; and their incarceration in the midst of this crisis will likely result in their placement in settings that are the equivalent of solitary confinement, placing them at even greater risk. The combination of these factors argues in favor of removing them from secure institutions and returning them to their families for proper protection and care. Of course, the release of children from secure institutions can and should be done with adequate measures to protect them, their families and the broader community.<sup>23</sup>

18. With these things in mind, it is my professional opinion that returning incarcerated children to their families, where they can receive the kind of familial support that the CDC and WHO recommend, is the best possible course of action to take in response to the COVID-19 Pandemic.

I declare under penalty of perjury that the foregoing is true and correct.

Executed on March 21, 2020 at Santa Cruz, California.

  
DR. CRAIG W. HANEY, PHD

---

<sup>23</sup> See Council for State Governments, Justice Center, “Seven Questions About Reentry Amid COVID Confusion.”